18 Jeep Wrangler Command Vehicle







Global Distributor to Government Organisations

Doors ENGINE Туре Engine capacity Power Torque Fuel tank capacity Fuel tank driving range Max speed Туре Low ratio WEIGHTS/DIMENSIONS Vehicle dimensions Ground clearance Wheelbase Gross vehicle weight Payload minimum Towing weight-braked Rear compartment volume PERFORMANCE Fording depth Approach angle

Seating capacity

Departure angle Gradeability Ramp break-over angle Turning circle

PO Box 1147, Ground Floor Wellington Court, 8-9 Devil's Tower Road, GX11 1AA, Gibraltar / T: +350 22505400 / E: info@aads-gib.com / WWW.aads-gib.com

5
5
Petrol I4 Turbo
2.0 litres
200kw
400Nm
85 litres
600+ km
177km/h
8 speed automatic
2.72:1
4785mm (L) x 1877mm (W) x 1832mm (H)
237mm
3008mm
5000kg with upgrades
970kg / 3000kg with upgrades
2495kg
890 litres
760mm
41°
35°
100%
22°
5.9m

Jeep Wrangler Command Vehicle







Global Distributor to Government Organisations

Doors ENGINE Туре Engine capacity Power Torque Fuel tank capacity Fuel tank driving range Max speed Туре Low ratio WEIGHTS/DIMENSIONS Vehicle dimensions Ground clearance Wheelbase Gross vehicle weight Payload minimum Towing weight-braked Rear compartment volume PERFORMANCE Fording depth Approach angle

Seating capacity

Departure angle Gradeability Ramp break-over angle Turning circle

PO Box 1147, Ground Floor Wellington Court, 8-9 Devil's Tower Road, GX11 1AA, Gibraltar / T: +350 22505400 / E: info@aads-gib.com / WWW.aads-gib.com

5
5
Diesel / Multijet II common rail / Turbo charged
2.2 litres
144kw
455Nm
85 litres
600+ km
177km/h
8 speed automatic
2.72:1
4785mm (L) x 1877mm (W) x 1832mm (H)
237mm
3008mm
5000kg with upgrades
970kg / 3000kg with upgrades
2495kg
890 litres
760mm
41°
35°
100%
22°
5.9m

18 Jeep Wrangler Command Vehicle







Global Distributor to Government Organisations

Doors ENGINE Туре Engine capacity Power Torque Fuel tank capacity Fuel tank driving range Max speed Туре Low ratio WEIGHTS/DIMENSIONS Vehicle dimensions Ground clearance Wheelbase Gross vehicle weight Payload minimum Towing weight-braked Rear compartment volume PERFORMANCE Fording depth Approach angle

Seating capacity

Departure angle Gradeability Ramp break-over angle Turning circle

PO Box 1147, Ground Floor Wellington Court, 8-9 Devil's Tower Road, GX11 1AA, Gibraltar / T: +350 22505400 / E: info@aads-gib.com / WWW.aads-gib.com

5
5
EcoDiesel Turbo V6
3.0 litres
190kw
480Nm
85 litres
600+ km
177km/h
8 speed automatic
2.72:1
4785mm (L) x 1877mm (W) x 1832mm (H)
237mm
3008mm
5000kg with upgrades
970kg / 3000kg with upgrades
2495kg
890 litres
760mm
41°
35°
100%
22°
5.9m